







2L Capacity 40000Hz Frequency 80W Ultrasonic Power GS-010 Ultrasonic Cleaner for SMT Nozzle Cleaning

Basic Information

Place of Origin:
 Shenzhen,china

Brand Name: GS
Model Number: GS-010
Minimum Order Quantity: 1 pcs

Price: USD+negotiable+pcs
 Packaging Details: 300*300*310mm
 Delivery Time: 1-7 days

Payment Terms:

 T/T

Supply Ability: 1+pcs+per days



Product Specification

Model: GS-010Capacity: 2I

Liner Material: Stainless Steel SUS304Heating Power: 500W(Mechanical Heating)

• Time Control: Mechanical Control (1-30 Minutes)

• Ultrasonic Frequency: 40000Hz

Ultrasonic Power: 80W(1 PCS Shake Head)
 Size Of Internal Tank: 150*135*100mm L*W*H
 Packing Dimensions: 255*245*275mm L*W*H
 Overall Dimensions: 175*160*210mm L*W*H

Power Supply: AC100-120V,50/60Hz AC220-240V,50/60Hz

Weight: N.W.2.2KG,G.W.2.5KGHighlight: 2L SMT Nozzle Cleaner,

SMT Nozzle Cleaner Stainless Steel,

SMT Ultrasonic Cleaner



More Images



2L Capacity SMT Nozzle Cleaner Stainless Steel GS-010 Ultrasonic Cleaner

Features of the GS-010 Ultrasonic Cleaner

The GS-010 Ultrasonic Cleaner is a compact and efficient device designed for a wide range of cleaning applications. With a 2-liter capacity, it offers several advanced features that make it a versatile tool for both professional and personal use.

Simple Mechanical Control

The GS-010 is equipped with a mechanical rotary control system, ensuring ease of use and convenience. This straightforward design allows users to operate the machine effortlessly, making it accessible to both novices and experienced users.

High-Quality Stainless Steel Construction

Both the body and the cleaning basket of the GS-010 are made from premium stainless steel. This material is known for its durability, resistance to corrosion, and long-lasting performance. The robust construction ensures the cleaner can withstand frequent use and maintain its appearance over time.

Industrial-Grade Transducer

The ultrasonic cleaner features an industrial-grade transducer that offers high electrical conversion efficiency. This ensures effective and thorough cleaning of various items, from delicate jewelry to sturdy automotive parts, by generating powerful ultrasonic waves that remove dirt and contaminants.

Seamless Inner Tank Design

The inner tank of the GS-010 is crafted using a one-time stamping process, resulting in a seamless design with no welding points. This enhances the water-resistant properties of the tank, preventing leaks and ensuring safe operation. The seamless construction also makes cleaning and maintenance easier.

Adjustable Timer and Temperature

The GS-010 offers adjustable working time and temperature settings to cater to different cleaning needs. The timer can be set from 0 to 30 minutes, allowing precise control over the cleaning duration. The temperature is adjustable from room temperature to 80°C, providing flexibility for various cleaning applications and ensuring optimal results.





+8613728696610 iyi@gs-smt.com smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China