




GSM0700 Frame Style SMT Splice Clip Copper Buckle with 20 Clips per Frame and 25.8mm x 86.45mm Dimensions

Our Product Introduction

for more products please visit us on smtmachine-spareparts.com

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GSM0700
- Minimum Order Quantity: 1 box
- Price: USD+negotiable+box
- Packaging Details: 30mm*90mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+box+per days



Product Specification

- Brand Name: GS
- Model Number: GSM0700
- Product Name: SMT Splice Clip
- Dimensions (pc): 25.8mm X 86.45mm
- Package: 20 Clips/ Frame, 25 Frames/box
- Thickness: 0.1mm
- Material: Copper
- Certification: RoHS
- Application: SMT Process
- Customization: Support
- Highlight: **smt splice clip copper, copper smt splice tape, 8mm smt splice clip**



More Images



Product Description

Frame Style SMT Splice Clip Copper Buckle GSM0700

GSM0700 Frame Style SMT Splice Clip Copper Buckle

The GSM0700 Splice Clip is expertly designed to streamline your SMT splicing operations. Featuring a bandolier design with 20 clips per frame, this versatile splice clip is suitable for both paper and plastic carrier tapes of all widths. It is fully compatible with the GSMTL60 stapler-style splice tool, providing a reliable and efficient solution for your splicing needs.

Applications

Individual Brass Splice Shim: Specifically designed for use with the GSMTL60 splice tool, the GSM0700 ensures a perfect fit and efficient operation.

Versatile Splicing: Compatible with splice tapes of any size, it allows for quick and secure joining of SMT carrier tapes of all widths, enhancing the flexibility of your production process.

Advantages

Sprocket Wheel Compatibility: The holes in the clip are designed to pass through the sprocket wheel of the feeder, ensuring smooth and uninterrupted operation.

Durable Copper Construction: Made of high-quality copper, the GSM0700 splice clip offers exceptional toughness and durability, guaranteeing a secure connection every time.

Efficient Reloading: With 20 clips per frame, the need for frequent reloading is minimized, allowing for continuous and efficient splicing.

Secure Connection: Specially designed to ensure a secure connection, particularly for larger sized carrier tapes, it enhances the reliability of your splicing operations.

Instructions

Pull the slider and gently place a GSM0700 clip frame inside the handle rail.

Press the button and slowly advance the slider forward until the frame hits the pins.

Center both carrier tapes (cover tape up) on the pins and secure them with the clamps.

Crimp the handle to connect the carrier tapes.

Add a splice tape strip to the cover tape and press firmly to complete the splice.



Frame Style SMT Splice Clip Copper Buckle GSM0700 | GSSMT, SMT splice tape, SMT splicing machine, SMT splice connectors, SMT splicing equipment, SMT tape splicing tools, SMT splice tool kit, SMT splicing process, SMT splice tool manufacturers, SMT tape splicing technique, SMT splice repair tools, SMT splicing solutions, Automatic SMT splice tools, Manual SMT splice tools, SMT splice tool application, SMT splice tape application, SMT tape jointing tools, High-speed SMT splicing tools, SMT splice tool comparison, SMT splice tape handling, Best SMT splice tools



Global Soul Limited



+8613728696610



liyi@gs-smt.com



smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China