




Frame Style Borderless SMT Splice Clip Copper Buckle GSM0800 with 20 Clips per Frame and 23mm x 86.45mm Dimensions

Our Product Introduction

for more products please visit us on smtmachine-spareparts.com

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GSM0800
- Minimum Order Quantity: 1 box
- Price: USD+negotiable+box
- Packaging Details: 30*100*40mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+box+per days




Product Specification

- Brand Name: GS
- Model Number: GSM0800
- Product Name: SMT Splice Clip
- Dimensions (pc): 23mm X 86.45mm
- Material: Copper
- Application: SMT Process
- Customization: Support
- Packing: 20 Clips/ Frame, 25 Frames/box
- Highlight: **smt splice clip copper , copper smt splice tape**



More Images



Product Description

Frame Style Borderless SMT Splice Clip Copper Buckle GSM0800

Product Description

The **GSM0800 Splice Clip** is a bandolier design with 20 clips per frame. Compatible with paper or plastic carrier tapes of all widths, it works seamlessly with the GSMTL60 stapler-style splice tool to accelerate splicing operations.

Design and Build

The GSM0800 features a high-efficiency bandolier design with 20 clips per frame for rapid reloading. Constructed from durable copper for superior conductivity and strength, these clips withstand rigorous splicing processes while maintaining secure tape connections.

Engineered for compatibility with the GSMTL60 splice tool, the GSM0800 integrates effortlessly into existing workflows without requiring additional equipment modifications.

Applications

- Functions as individual brass splice shims for precise carrier tape connections
- Universal compatibility with all splice tape sizes and materials (paper/plastic)
- Enables quick, secure joining of SMT carrier tapes for uninterrupted production flow

Key Advantages

- Sprocket wheel compatible holes ensure smooth feeder operation
- Copper construction delivers exceptional toughness and durability
- 20-clip frame capacity minimizes reloading frequency
- Provides reliable connections for larger carrier tapes

Operation Instructions

- Insert clip frame into handle rail by pulling slider
- Advance frame until contact with pins using tool button
- Center carrier tapes on pins (cover tape up) and secure with clamps
- Crimp handle to connect tapes
- Apply splice tape strip to cover tape and press firmly



SMT splice repair tools, SMT splicing solutions, Automatic SMT splice tools, Manual SMT splice tools, SMT splice tool application, SMT splice tape application, SMT tape jointing tools, High-speed SMT splicing tools, SMT splice tool comparison, SMT splice tape handling, Best SMT splice tools



Global Soul Limited



+8613728696610



liyi@gs-smt.com



smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China