



## GSMTL100 Black SMT Splice Jig Tool for FUJI Tape

### Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GSMTL100
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 8cmx 15cm X 5cm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



### Product Specification

- Brand Name: GS
- Model Number: GSMTL100
- Product Name: SMT Splice Jig Tool
- Dimensions (pc): 5cmx 11.5cm X 2cm
- Material: Steel Tool Body+Rubber Handle
- Application: SMT Process
- Customization: Support
- Lead Time: 1-7 Days
- Highlight: **smt splice plier tool**



Our Product Introduction

for more products please visit us on [smtmachine-spareparts.com](http://smtmachine-spareparts.com)

Product Description

Black SMT Jig Splice Plier Tool For FUJI GSMTL100

Brand Name	GS
Model Number	GSMTL100
Product name	SMT Splice Jig Tool
Dimensions (pc)	5cm x 11.5cm x 2cm
Material	Steel Tool body + Rubber Handle
Application	SMT process
Customization	Support
Lead time	1-7 Days

GSMTL100 Black SMT Jig Splice Plier Tool For FUJI

Description

The GSMTL100 is a splicing tape feeder jig with holes designed specifically for Fuji equipment. It enables precise splicing tape cutting and positioning without requiring operator experience. The tool features a lightweight, compact design for easy carrying and storage. Custom logos can be added upon request.

Applications and Versatility

**Tailored for FUJI Splice Tape:** The GSMTL100 is engineered to work seamlessly with FUJI splice tape systems, supporting various tape widths for flexible operation without additional adapters.

**Broad Industry Application:** Ideal for electronics manufacturing, automotive assembly, and any industry using SMT technology. The tool's universal design makes it compatible with multiple brands of SMT carrier tapes.

Operational Instructions

- Preparing for Splicing:** Open the top plate and position the splicing strip on the designated pins.
- Cutting the Tape:** Lower the top plate to engage the cutting mechanism for a clean cut. Use the eject button to remove excess tape.
- Splicing Process:** Align the second carrier tape with the guide indentations. Fold the splice tape at the dotted section and press firmly to secure the joint.
- Finalizing the Splice:** Use the eject button to release the spliced tape, ensuring secure adhesion. Remove protective film as needed.



Black SMT Jig Splice Plier Tool For FUJI GSMTL100 | GSSMT, SMT splice tape, SMT splicing machine, SMT splice connectors, SMT splicing equipment, SMT tape splicing tools, SMT splice tool kit, SMT splicing process, SMT splice tool manufacturers, SMT tape splicing technique, SMT splice repair tools, SMT splicing solutions, Automatic SMT splice tools, Manual SMT splice tools, SMT splice tool application, SMT splice tape application, SMT tape jointing tools, High-speed SMT splicing tools, SMT splice tool comparison, SMT splice tape handling, Best SMT splice tools

