



GSCJ-8301B1-5 PCB Magazine Loader 355x500x563mm 5-Sheet Side Board

Our Product Introduction

for more products please visit us on smtmachine-spareparts.com

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GSCJ-8301B1-5
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 380*520*580mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Size: 355 X 500 X 563 Mm
- Adjustment Method: Handle
- Base Material: Plate Metal
- Reference Position: A34 Mm, B34 Mm
- Side Board Structure: 5 Sheets
- Lead Time: 1-7 Days
- Highlight: Automatic PCB Magazine Loader,
Automatic PCB Magazine Unloader,
GSCJ-8301B1-5 Automatic PCB Loader



More Images



Product Description

GSCJ-8301B1-5 PCB Magazine Loader And Unloader Rack

Automatic PCB Loader with Storage and Transfer Frame

The GSCJ-8301B1-5 is an automatic loading and unloading rack system designed for efficient handling of PCBs and substrate boxes. This robust magazine loader provides secure storage and smooth transfer capabilities for circuit board manufacturing processes.

Key Features

- Automatic PCB loading and unloading system
- Secure storage frame for circuit boards
- Efficient transfer mechanism
- Compatible with various PCB magazine types
- Sturdy construction for industrial environments

Installation Guide

- Install the Rack: Ensure the rack is aligned and flush with the base plate.
- Secure the Columns: Use screws to fix the four columns firmly.
- Attach the Side Panel: Align the holes and tighten the screws.
- Position the Movable Side Panel: Ensure the bottom edge is close to the rack.
- Install the Base Plate: Push the circular pin of the latch upward and move the side panel.
- Install the Stopper: Attach it at the spring position, facing downward.

Special Note: Pay particular attention to steps 4 and 5. The circular pin of the latch must align precisely with the circular hole on the base plate. Accurate positioning is crucial to avoid misalignment; ensure synchronization in all directions.



