







### Ultrasonic Wide Edge Dust Free Cloth 202 140g Anti Static 9x9

#### **Basic Information**

Place of Origin: ChinaBrand Name: GS

Model Number: BJ-202USEMinimum Order Quantity: 1 bag

• Price: USD+negotiable+bag

Packaging Details: 30\*30\*15cm
Delivery Time: 1-7 days
Payment Terms: T/T

Supply Ability: 1+bag+per days



#### **Product Specification**

Model: BJ-202USE

• Quantity Per Box (roll): 150 Pieces (sheets)

• Sheet Size: 9\*9

Number Of Layers: Single Layer
 Type: Wiping Cloth
 Main Function: Surface Treatment
 Material: Polyester Fiber

• Scope Of Application: Precision Instrumentation, Optics And Bio-

pharmaceutical Industry, Food Industry, Laboratory, Clean Cleaning Workshop And

Other High-tech Electronic Fields.

• Highlight: Ultrasonic Wide Edge Dust Free Cloth,

Wide Edge Dust Free Cloth, 9\*9 Wiping Cloth



#### More Images







#### Ultrasonic Wide Edge Dust Free Cloth 202 140g Anti Static 9\*9 Wiping Cloth

#### **Product Specifications**

| Model                   | BJ-202USE  |
|-------------------------|--|
| Quantity per box (roll) | 150 pieces (sheets)  |
| Sheet size              | 9*9  |
| Number of layers        | Single layer   |
| Туре                    | Wiping cloth   |
| Main function           | Surface treatment  |
| Material                | Polyester fiber  |
| Scope of application    | Precision instrumentation, optics and bio-pharmaceutical industry, food industry, laboratory, clean cleaning workshop and other high-tech electronic fields. |

#### **Key Features**

100% polyester fiber knitted continuously and tightly for durability

Laser cutting prevents chip dropping and maintains clean edges

Specially designed for semiconductor and electronic industries

Ultra-low dust and fiber shedding during use

Low ion content and NVR residue for sensitive applications

Clean in pure water with resistance up to  $18\mbox{M}\Omega$  in clean rooms

Excellent friction resistance effectively removes oil stains

Suitable for rough surface wiping and clean room maintenance

#### **Product Images**




## **Product information**

|  |   | Oust-free cloth  |   |  |  |  |
|--|---|--|---|--|--|--|
| Product number   |   | gram per square meter  |   |  | Package  |  |
| 8009   |   | Microfiber<br>210  | T   |  |  |  |
| 3307   |   | 110  |   |  |  |  |
| MF soft material/hard mate                               | rial  | 85/100   |   |  |  |  |
| 3209   |   | 190  |   |  |  |  |
| 6601   |   | 190  |   |  |  |  |
| 6602   |   | 220  |   |  |  |  |
| 3228<br>6605   |   | 180  |   |  | 100 pieces/bag   |  |
| 3005A  |   | 180<br>250   |   | 6 inch 100 pieces/bag<br>4 inch 400 pieces/bag |  |  |
| 6608   |   | 250  |   |  |  |  |
| 3352   |   | 155  |   |  |  |  |
| 3303   |   | 180  |   |  |  |  |
| 3301   |   | 230  |   |  |  |  |
| 4021   |   | 230  |   |  |  |  |
| 4018   |   | Ordinary fiber   |   |  |  |  |
| 1009LE-202 (net pattern)                                 |   | Ordinary fiber   |   |  |  |  |
| 1009LE-102 (net pattern)                                 |   | 140  |   |  |  |  |
| 1009LE-502B (straight pattern)                           |   | 120  |   | 9 inch   | 150 pieces/bag   |  |
| 1009LE-J502 (straight pattern)                           |   | 120  |   | 6 inch   | 150 pieces/bag   |  |
| 1009LE-602 (straight patter                              |   | 140  |   | 4 inch   | 600 pieces/bag   |  |
| 1009LE-2201 (net pattern                                 |   | 130  |   |  |  |  |
| 1009LE-2203 (net pattern                                 | )   | 140  |   |  |  |  |
| 7009   | -   | sub-ultrafine fiber<br>160   | T T   |  |  |  |
| 1103   |   | 120  |   |  |  |  |
| 1103A  |   | 130  |   |  |  |  |
| 1108   |   | 130  |   |  |  |  |
| 1109   |   | 120  |   | 9 inch 100 pieces/bag                          |  |  |
| 1105   |   | 110  |   |  | 100 pieces/bag   |  |
| 1100   |   | 100  |   | 4 inch   | 400 pieces/bag   |  |
| 3500   |   | 140  | 1   |  |  |  |
| 7001<br>CL-009   |   | 180  |   |  |  |  |
| HL-009   |   | 180<br>180   |   |  |  |  |
| 112-003  | 10  | 009 D/S (Cold Cut)   | L   |  |  |  |
| Gram per square meter                                    |   | roduct Name  | Specification   | Unit   | Remarks  |  |
| am per square meter                                      |   | - auto Hallie  | 9 inch  | bag  | 150 pieces per b   |  |
|  | 10  | 01A Net Pattern  | 8.5 inch  | bag  | 150 pieces per b   |  |
|  | 501A Straight Pattern   |  | 8 inch  | bag  | 150 pieces per b   |  |
|  |   |  | 7.5 inch  | bag  | 150 pieces per b   |  |
| 110g net pattern/straight pattern                        | 103A Net Pattern  |  | 6 inch  | bag  | 150 pieces per b   |  |
|  | 503A Straight Pattern   |  | 5.5 inch  | bag  | 150 pieces per b   |  |
| İ  |   | 105A Net Pattern   |   | bag  | 600 pieces per t   |  |
|  | 505   | A Straight Pattern   | 3.5 inch  | bag  | 600 pieces per b   |  |
|  |   |  | 9 inch  | bag  | 150 pieces per b   |  |
|  |   | 01 Net Pattern   | 8.5 inch  | bag  | 150 pieces per b   |  |
|  | 501   | B Straight Pattern   | 8 inch  | bag  | 150 pieces per b   |  |
| 120g net pattern/straight pattern                        |   |  | 7.5 inch  | bag  | 150 pieces per b   |  |
|  |   | 103 Net Pattern  | 6 inch  | bag  | 150 pieces per b   |  |
| ,  | 20  | B Straight Pattern   | 5.5 inch<br>4 inch  | bag  | 150 pieces per b   |  |
|  |   | 105 Net Pattern  |   | bag  | 600 pieces per b   |  |
|  | 505B Straight Pattern   |  | 2 E inch  | hac  |  |  |
|  |   |  | 3.5 inch  | bag  |  |  |
| 140g pet pattern   | 201 Net Pa  | ttern / 601 Straight Pattern   | 8.5 inch  | bag  | 150 pieces per b   |  |
| 140g net pattern   | 201 Net Pa<br>203 Net Pa  | ttern / 601 Straight Pattern<br>ttern / 603 Straight Pattern   | 8.5 inch<br>6 inch  | bag<br>bag                                     | 150 pieces per b   |  |
| 140g net pattern   | 201 Net Pa<br>203 Net Pa  | ttern / 601 Straight Pattern   | 8.5 inch  | bag  | 150 pieces per b   |  |
| 140g net pattern   | 201 Net Pa<br>203 Net Pa<br>205 Net Pa  | ttern / 601 Straight Pattern<br>ttern / 603 Straight Pattern<br>ttern / 605 Straight Pattern   | 8.5 inch<br>6 inch  | bag<br>bag                                     | 150 pieces per b   |  |
|  | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>100   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  D9 D / S L E (Laser)   | 8.5 inch<br>6 inch<br>4 inch  | bag<br>bag<br>bag                              | 150 pieces per b<br>150 pieces per b<br>600 pieces per b   |  |
| 140g net pattern  Gram per square meter                  | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>100   | ttern / 601 Straight Pattern<br>ttern / 603 Straight Pattern<br>ttern / 605 Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification   | bag<br>bag<br>bag                              | 150 pieces per b<br>150 pieces per b<br>600 pieces per b   |  |
|  | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>100<br>Pt   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern 09 D / S L E (Laser) roduct Name   | 8.5 inch 6 inch 4 inch  Specification 9 inch  | bag<br>bag<br>bag<br>Unit                      | 150 pieces per b<br>150 pieces per b<br>600 pieces per b<br>Remarks  |  |
|  | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>100<br>Pr   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern 09 D / S L E (Laser) roduct Name   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch   | bag<br>bag<br>bag<br>Unit<br>bag<br>bag        | 150 pieces per b<br>150 pieces per b<br>600 pieces per b<br>Remarks<br>150 pieces per b<br>150 pieces per b  |  |
|  | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>100<br>Pr   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern 09 D / S L E (Laser) roduct Name   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch  | bag<br>bag<br>bag<br>Unit<br>bag<br>bag        | 150 pieces per b 150 pieces per b 600 pieces per b Remarks 150 pieces per b 150 pieces per b   |  |
|  | 201 Net Pa 203 Net Pa 205 Net Pa 100 Pt   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  O2A Net Pattern A Straight Pattern  | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch   | bag bag bag bag bag bag bag bag bag            | 150 pieces per b 150 pieces per b 600 pieces per b Remarks 150 pieces per b 150 pieces per b 150 pieces per b  |  |
| Gram per square meter                                    | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>100<br>Pt   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern 09 D / S L E (Laser) roduct Name   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch 6 inch  | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter                                    | 201 Net Pa 203 Net Pa 205 Net Pa 100 Pt 11 502  | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  D9 D / S L E (Laser)  roduct Name  D2A Net Pattern A Straight Pattern  D4A Net Pattern A Straight Pattern A Straight Pattern  | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch   | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b  |  |
| Gram per square meter                                    | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>205 Net Pa<br>100<br>P1<br>11<br>502                      | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser)  roduct Name  OPA Net Pattern  A Straight Pattern  OPA Net Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch 6 inch 5.5 inch   | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter                                    | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>205 Net Pa<br>100<br>P1<br>11<br>502                      | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP Net Pattern A Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch 6 inch 5.5 inch 4 inch  | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter                                    | 201 Net Pa 203 Net Pa 205 Net Pa 205 Net Pa 100 P1 11 502   | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP Net Pattern A Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch 6 inch 5.5 inch 4 inch 3.5 inch   | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter                                    | 201 Net Pa 203 Net Pa 205 Net Pa 100 Pr 11 502  | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 7.5 inch 6 inch 5.5 inch 4 inch 9.5 inch   | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b  |  |
| Gram per square meter  110g net pattern/straight pattern | 201 Net Pa 203 Net Pa 205 Net Pa 100 Pr 11 502  | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP Net Pattern A Straight Pattern DAA Net Pattern A Straight Pattern A Straight Pattern A Straight Pattern A Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 7.5 inch 6 inch 4 inch 3.5 inch 9 inch 8.5 inch  | bag        | 150 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter                                    | 201 Net Pa 203 Net Pa 205 Net Pa 100 Pr 11 502  | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP Net Pattern A Straight Pattern DAA Net Pattern A Straight Pattern A Straight Pattern A Straight Pattern A Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 7.5 inch 6 inch 5.5 inch 4 inch 3.5 inch 9 inch 8.6 inch   | bag        | Remarks 150 pieces per b 600 pieces per b 150 pieces per b  |  |
| Gram per square meter  110g net pattern/straight pattern | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>205 Net Pa<br>100<br>Pi<br>11<br>502<br>11<br>504         | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP Net Pattern A Straight Pattern B Straight Pattern B Straight Pattern B Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 5.5 inch 4 inch 3.5 inch 9 inch 8.5 inch 9 inch 8.5 inch   | bag        | Remarks 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter  110g net pattern/straight pattern | 201 Net Pa<br>203 Net Pa<br>205 Net Pa<br>205 Net Pa<br>100<br>Pi<br>11<br>502<br>11<br>504         | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  D9 D / S L E (Laser) roduct Name  D2A Net Pattern A Straight Pattern D4A Net Pattern A Straight Pattern D6A Net Pattern A Straight Pattern D6A Straight Pattern B Straight Pattern B Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 7.5 inch 4 inch 3.5 inch 9 inch 8.5 inch 4 inch 7.5 inch 6 inch 7.5 inch 6 inch 7.5 inch 9 inch 8.5 inch 8 inch 7.5 inch 6 inch  | bag        | Remarks 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b  |  |
| Gram per square meter  110g net pattern/straight pattern | 201 Net Pa 203 Net Pa 205 Net Pa 205 Net Pa 100 P1 11 502 11 504 11 506                             | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern  D9 D / S L E (Laser) roduct Name  D2A Net Pattern A Straight Pattern D4A Net Pattern A Straight Pattern D6A Net Pattern A Straight Pattern B Straight Pattern   | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 5.5 inch 4 inch 3.5 inch 9 inch 8.5 inch 10 inch   | bag        | Remarks 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b   |  |
| Gram per square meter  110g net pattern/straight pattern | 201 Net Pa 203 Net Pa 205 Net Pa 205 Net Pa 100 P1 11 502 11 504 11 506                             | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP D / S L E (La | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 6 inch 5.5 inch 4 inch 2.5 inch 9 inch 3.5 inch 4 inch 7.5 inch 6 inch 7.5 inch 6 inch 7.5 inch 6 inch 5.5 inch 4 inch 8.5 inch 9 inch 8.5 inch 1 inch  | bag        | Remarks 150 pieces per b 600 pieces per b 600 pieces per b 150 pieces per b |  |
| Gram per square meter  110g net pattern/straight pattern | 201 Net Pa 203 Net Pa 205 Net Pa 205 Net Pa 100 P1 11 502 11 504 11 506 1 506 202 Net Pa 205 Net Pa | ttern / 601 Straight Pattern ttern / 603 Straight Pattern ttern / 603 Straight Pattern ttern / 605 Straight Pattern ttern / 605 Straight Pattern  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP D / S L E (Laser) roduct Name  OP D / S L E (Laser)  OP | 8.5 inch 6 inch 4 inch  Specification 9 inch 8.5 inch 8 inch 7.5 inch 6 inch 5.5 inch 4 inch 3.5 inch 9 inch 8.5 inch 10 inch | bag        | 600 pieces per b 150 pieces per b 150 pieces per b 150 pieces per b 600 pieces per b 150 pieces per b   |  |

| Category  | Model  | Weight (g/m²                            | t-free roll wip                         | pecification   | Core In    | ner Diameter                    | Uni  |
|---|--|---|---|--|------------|---------------------------------|------|
| Category  | iviodei  | vveignt (g/m-                           | 10mm*50M                                | pecification   | Core in    | 25.4mm                          | roll |
| Knitted ultrafine   |  |   |   |  |            |                                 |      |
|   |  |   | 100000000000000000000000000000000000000 | 15mm*50M   |            | 25,4mm                          | rol  |
|   | 8101   | 165g                                    | 20mm*50M                                |  | 25.4mm     |                                 | rol  |
|   |  | 1659                                    | 10mm*100M                               |  | 25.4mm     |                                 | rol  |
|   |  |   | 15mm*100M                               | 15mm*100M  |            | 25.4mm                          |      |
|   |  |   | 20mm*100M                               | 20mm*100M  |            | 25.4mm                          |      |
|   |  |   | 10mm*50M                                | 10mm*50M   |            | 25.4mm                          |      |
|   |  |   | 15mm*50M                                |  |            | 25.4mm                          | roll |
|   |  |   | 20mm*50M                                |  |            | 25.4mm                          | roll |
|   | 8102   | 180g                                    | 10mm*100M                               |  |            | 25.4mm                          | roll |
|   |  |   | [AGE 1] A C. (10) THE STATE OF C.       | 15mm*100M  |            | 25.4mm                          | roll |
|   |  |   | 7-5-1                                   | 20mm*100M  |            | 25.4mm                          | roll |
|   | -  |   | 100000000000000000000000000000000000000 | P35000000000000000000000000000000000000                  |            |                                 |      |
|   |  |   |   | 10mm*50M   |            | 25.4mm                          | roll |
|   |  |   | 15mm*50M                                |  |            | 25.4mm                          | roll |
|   | 8103   | 200g                                    | 20mm*50M                                |  |            | 25.4mm                          | roll |
|   | 8103   | 2009                                    | 10mm*100M                               |  |            | 25.4mm                          | roll |
|   |  |   | 15mm*100M                               |  |            | 25.4mm                          | roll |
|   |  |   | 20mm*100M                               |  |            | 25.4mm                          | roll |
|   | 8001/Twill   |   | 10mm*50M                                |  |            | 25.4mm                          | roll |
|   | 8002/Plain Weave   |   | 15mm*50M                                |  |            | 25.4mm                          | roll |
|   | 8003/Random Patter   | 1                                       | 20mm*50M                                |  |            | 25.4mm                          | roll |
| Woven ultrafine   | 8001/Twill   | 105g                                    | 10mm*100M                               |  |            | 25.4mm                          | roll |
|   |  | W(4-4-5)                                |   |  |            |                                 |      |
|   | 8002/Plain Weave   |   | 15mm*100M                               |  |            | 25.4mm                          | roll |
|   | 8003/Random Pattern  | n                                       | 20mm*100M                               |  |            | 25.4mm                          | roll |
|   | 8201   | 200g                                    | 10mm*50M                                |  |            | 25.4mm                          | roll |
|   | 8201   | 2009                                    | 20mm*50M                                | 20mm*50M   |            | 25.4mm                          | roll |
| High-density fabric   | 85955  |   | 10mm*50M                                | 10mm*50M   |            | 25.4mm                          | roll |
|   | 8202   | 230g                                    | 20mm*50M                                | 20mm*50M   |            | 25.4mm                          | roll |
|   |  | Chast                                   | Duct from                               | anar   |            |                                 |      |
| 022   |  |   | Dust-free p                             |  |            |                                 |      |
| Gram per s  | quare meter  | Product N                               | lame                                    | Specification  | Unit       | Remark                          | S    |
|   |  | 600                                     |   | 200mm*200mm  | bag        | 300 pieces per                  | bag  |
| 6   | 200  | 609                                     |   | 228mm*228mm  | bag        | 300 pieces per                  | bag  |
| 3.  | <sup>2</sup> g   | 604                                     |   | 90mm*90mm  | bag        | 1200 pieces per                 | bag  |
|   |  | 606                                     |   | 140mm*140mm  | bag        | 300 pieces per bag              |      |
|   |  | 609                                     | 609                                     |  | bag        | 300 pieces per bag              |      |
| 5   | 5g   | 604                                     |   | 90mm*90mm  | bag        | 1200 pieces per                 | bag  |
|   | **   | 606                                     |   | 140mm*140mm  | bag        | 300 pieces per bag              |      |
|   | 2  | 609                                     |   | 203mm*203mm  | bag        | 300 pieces per ba               |      |
|   |  |   |   | 215mm*215mm  | bag        | 300 pieces per                  | bag  |
|   |  |   |   | 228mm*228mm  | bag        | 300 pieces per                  | bag  |
| 6   | 0g   | 604                                     |   | 100mm*100mm  | bag        | 1200 pieces per                 | bag  |
|   |  | 004                                     |   | 92mm*92mm  | bag        | 1200 pieces per                 | bag  |
|   |  | 606                                     |   | 150mm*150mm  | bag        | 300 pieces per                  |      |
|   |  | 000                                     |   | 140mm*140mm  | bag        | 300 pieces per                  |      |
|   |  | 609                                     |   | 228mm*228mm  | bag        | 300 pieces per                  |      |
|   | L  | 503                                     |   | 215mm*215mm  | bag        | 300 pieces per                  |      |
| 6   | 3g   | 604                                     |   | 100mm*100mm  | bag        | 1200 pieces per                 |      |
|   | 3  | 504                                     |   | 95mm*95mm  | bag        | 1200 pieces per                 |      |
|   |  | 606                                     |   | 150mm*150mm  | bag        | 300 pieces per                  |      |
|   |  | 606                                     |   | 145mm*145mm  | bag        | 300 pieces per                  | - 3  |
|   |  |   |   | 250mm*250mm  | bag        | 100 pieces per                  |      |
|   | 5g   | M-3                                     |   | 240mm*240mm<br>240mm*230mm                               | bag        | 100 pieces per                  |      |
| 3   | - 1  |   |   |  | bag        | 100 pieces per                  |      |
| 3   |  | 0509 Blue Dust-free paper               |   | 215mm*215mm<br>215mm*215mm                               | bag        | 300 pieces per                  |      |
| -   | 3g   |   | 409                                     |  | bag        | 300 pieces per                  |      |
| 6   | 8g<br>5g   |   |   |  | l bee      | 50 pieces per                   |      |
| 6   |  | 409                                     |   | 290mm*300mm  | bag        |                                 |      |
| 6   |  |   |   | 280mm*290mm  | bag        | 50 pieces per                   |      |
| 6   | 5g   | 409                                     |   |  |            | 50 pieces per<br>100 pieces per | bag  |
| 6   | 5g   | 409<br>3330                             | Dust-free p                             | 280mm*290mm<br>215mm*215mm                               | bag        |                                 | bag  |
| 66 44 8   | 5g<br>0g   | 409<br>3330<br><b>Roll</b>              | Dust-free pa                            | 280mm*290mm<br>215mm*215mm<br>aper                       | bag<br>bag | 100 pieces per                  |      |
| 66<br>4<br>8  | quare meter  | 409<br>3330                             |   | 280mm*290mm<br>215mm*215mm                               | bag        |                                 |      |
| 66<br>48<br>88<br><b>Gram per s</b> 6   | quare meter  | 409<br>3330<br><b>Roll</b>              |   | 280mm*290mm<br>215mm*215mm<br>aper                       | bag<br>bag | 100 pieces per                  |      |
| 66<br>4<br>8<br><b>Gram per s</b><br>60g/0608<br>68g/0608   | quare meter Material Material  | 3330<br>Roll<br>Product N               | lame                                    | 280mm*290mm<br>215mm*215mm<br>aper<br>Specification      | bag<br>bag | 100 pieces per                  |      |
| 66 44 88 609/0605 609/0605 609/0605 609/0605  | quare meter Material Material Cross Lay                                | 409<br>3330<br><b>Roll</b>              | lame                                    | 280mm*290mm<br>215mm*215mm<br>aper                       | bag<br>bag | 100 pieces per                  |      |
| 66<br>4<br>8<br>60g/060<br>68g/060<br>60g/0609<br>50g/30 Smal                                     | quare meter  Material  Omaterial  Cross Lay  I Square Grid             | 3330<br>Roll<br>Product N               | lame                                    | 280mm*290mm<br>215mm*215mm<br>aper<br>Specification      | bag<br>bag | 100 pieces per                  |      |
| 66<br>4<br>88<br>60g/0609<br>68g/0609<br>60g/0609<br>50g/3D Smal<br>50g/3D S                      | quare meter Material Omaterial Ocross Lay I Square Grid mall Mesh      | 3330<br>Roll<br>Product N               | lame                                    | 280mm*290mm<br>215mm*215mm<br>aper<br>Specification      | bag<br>bag | 100 pieces per                  |      |
| 66<br>4<br>88<br><b>Gram per s</b><br>60g/0603<br>68g/0603<br>60g/0603<br>50g/3D Smal<br>50g/3D S | quare meter  Material  Material  Cross Lay  I Square Grid mall Mesh    | 3330  Roll  Product N  steel mesh wipin | lame                                    | 280mm*290mm<br>215mm*215mm<br>aper<br>Specification      | bag<br>bag | 100 pieces per                  |      |
| 66<br>4:<br>8i<br>60g/0609<br>68g/0609<br>60g/0609<br>50g/3D Smal<br>50g/3D S                     | quare meter  Material  Material  Cross Lay  Square Grid  mall Mesh  Sg | 3330<br>Roll<br>Product N               | lame                                    | 280mm*290mm 215mm*215mm aper Specification  Customizable | bag<br>bag | Remark:                         | s    |
| 66<br>4'<br>81<br><b>Gram per s</b><br>609/0609<br>689/0609<br>509/3D Smal<br>509/3D S            | quare meter Material Material Cross Lay I Square Grid mall Mesh        | 3330  Roll  Product N  steel mesh wipin | ng paper                                | 280mm*290mm<br>215mm*215mm<br>aper<br>Specification      | bag<br>bag | 100 pieces per                  | s    |


### **Product details**













## Field of application



















# Factory display











Microfiber cloth Lint-free cloth Cleaning cloth Dusting cloth Antistatic cloth Polishing cloth Non-abrasive cloth Soft cleaning cloth Microfiber cleaning cloth Reusable cleaning cloth Eco-friendly cleaning cloth Streak-free cloth Scratch-free cloth High-absorbent cloth Non-scratching cloth Chemical-free cleaning cloth Washable cleaning cloth Heavy-duty cleaning cloth Industrial cleaning cloth Professional cleaning cloth

### GS SMT LTD Global Soul Limited

+8613728696610

liyi@gs-smt.com

smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China