









GS-SQD2404 Tube-Mounted Feeder AC220V for SMT

Basic Information

Place of Origin: ChinaBrand Name: GS

Model Number: GS-SQD2404Minimum Order Quantity: 1/PCS

Price: USD+negotiable+pcs
Packaging Details: 110*20*100CM
Delivery Time: 1-3 days
Payment Terms: T/T

• Supply Ability: 1+pcs+per days



Product Specification

Model: GS-SQD2404

• Function Description: A Device That Conveys Materials Through A

Belt To Achieve Feeding

• Equipment Size: Length: 99CM* Width: 16.5CM* Height:

91.5CM Expressways Without Anchor Bolts

Equipment Weight: 23.5KG
Working Voltage: AC220V
Gas Source Requirements: 4-6bar
Maximum Current: 3A

Appearance Color: Original Color Of Stainless Steel
 Operation Panel: 1.54-inch OLED Display Screen

• Feeding Speed: 1.2S/PCS

Highlight: Customized Tube-Mounted Feeder,

GS-SQD2404 Tube-Mounted Feeder, Precise Feeding Tube-Mounted Feeder

Precise Feeding Customized Tube-Mounted Feeder GS-SQD2404 AC220V Working Voltage

Product Specifications

| Attribute | Value |
|-------------------------|--|
| Model | GS-SQD2404 |
| Function description | A device that conveys materials through a belt to achieve feeding |
| Equipment size | Length: 99CM* Width: 16.5CM* Height: 91.5CM Expressways without anchor bolts |
| Equipment weight | 23.5KG |
| Working voltage | AC220V |
| Gas source requirements | 4-6bar |
| Maximum current | 3A |
| Appearance color | Original color of stainless steel |
| Operation panel | 1.54-inch OLED display screen |
| Feeding speed | 1.2S/PCS |

Product Description

Pipe-Mounted Feeder (GS-SQD2404)



Materials (Suitable for materials with relatively flat surfaces)



GS SMT LTD Global Soul Limited

+8613728696610





liyi@gs-smt.com smtmachine-spareparts.com

 $Room\ F3B-016,\ B\ Block,\ Hao\ Yun\ Lai\ Bussiness\ Building,\ Liutang\ road\ ,\ Bao'an\ District\ ,\ Shenzhen,\ China$