



Pipe-mounted Feeder GS-SAT2206 Double Track for Adaptation to 8-24mm Material Pipe and 0.5-0.7Mpa Gas Source

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GS-SAT2206
- Minimum Order Quantity: 1/PCS
- Price: USD+negotiable+pcs
- Packaging Details: 1600*110*1400mm
- Delivery Time: 1-3 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Model: GS-SAT2206
- Overall Dimensions (length * Width * Height): 1500*96*1250mm
- Working Voltage: DC 24V
- Gas Source Requirements: 0.5-0.7Mpa
- Maximum Current: 2A
- Feeding Speed: 2s/Pcs
- Operation Panel: 0.96-inch TFT Color Screen, 80*160 Pixels
- Pipe Replacement Time: ≤10S
- Channel: Dual-channel
- Pin Bending Function: Optional Separately(Default None)
- Plastic Surgery Function: Optional Separately(Default None)
- Lifting Function: Optional Separately(Default None)
- Foot Cutting Function: Optional Separately(Default None)
- Adapt To The Length Of The Material Pipe: 400-600mm




for more products please visit us on smtmachine-spareparts.com

Pipe-Mounted Feeder(GS-SAT2206) [Double Track]



Material pipe style:

(The feeder is customized according to the materials provided by the customer)



Finished product:

(The following are some display pictures)



If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.

 **SMT LTD**
思能贴装 **Global Soul Limited**

 +8613728696610

 liyi@gs-smt.com

 smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China