



## GS-SAQ2206 Single Channel SMT Feeder DC 24V for Tube Mounting

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GS-SAQ2206
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 1350\*60\*450
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



### Product Specification

- Model: GS-SAQ2206
- Overall Dimensions (length \* Width \* Height): 1160\*46\*345
- Working Voltage: DC 24V
- Gas Source Requirements: 0.4-0.7Mpa
- Maximum Current: 1A
- Feeding Speed: 0.6s/Pcs
- Operation Panel: 0.96-inch TFT Color Screen, 80\*160 Pixels
- Pipe Replacement Time: 5S
- Channel: Single Channel
- Adapt To The Length Of The Material Pipe: 490-535mm
- Adapt To The Height Of The Material Pipe: 3.5-5.5mm
- Adapt To The Width Of The Material Pipe: 8/11/15mm



for more products please visit us on [smtmachine-spareparts.com](http://smtmachine-spareparts.com)

Product Description

Surface Mount IC Tube Mounting Tubular Feeder GS-SAQ2206 Single Channel DC 24V

Product Specifications

Attribute	Value
Model	GS-SAQ2206
Overall dimensions (length × width × height)	1160×46×345
Working voltage	DC 24V
Gas source requirements	0.4-0.7Mpa
Maximum current	1A
Feeding speed	0.6s/Pcs
Operation panel	0.96-inch TFT color screen, 80×160 pixels
Pipe replacement time	5S
Channel	Single channel
Adapt to the length of the material pipe	490-535mm
Adapt to the height of the material pipe	3.5-5.5mm
Adapt to the width of the material pipe	8/11/15mm

Product Description

The GS-SAQ2206 tubular feeder is an advanced electronic component supply device designed for surface mount applications. This single-channel feeder precisely delivers tube-mounted electronic components to insertion machines through a combination of vibration and air blowing technology.





For specialized material dimensions or custom requirements, our engineering team can provide tailored solutions and customized feeder configurations to meet your specific production needs.