



Single Channel Surface Mount IC Tube Mounting Tubular Feeder GS-SAQ2306 With Material Length 6.0-12.8mm

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GS-SAQ2306
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 1350*55*300mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Model: GS-SAQ2306
- Overall Dimensions (length * Width * Height): 1190*47*243 104 mm(The Height From The Base Foot To The Baffle :243mm. The Height From The Base Foot To The Material Outlet :104mm)
- Weight: 10KG
- Working Voltage: DC 24V
- Gas Source Requirements: 0.4-0.7Mpa
- Maximum Current: 1A
- Feeding Speed: 0.6s/Pcs
- Operation Panel: 0.96-inch TFT Color Screen, 80*160 Pixels
- Pipe Replacement Time: 5S
- Channel: Single Channel
- Adapt To The Length Of The Material Pipe: 490-535mm
- Adapt To The Height Of The Material Pipe: 3.5-5.5mm




for more products please visit us on smtmachine-spareparts.com

Product Description

Surface Mount IC Tube Mounting (GS-SAQ2306)

The tubular feeder is a tubular electronic component supply device that supplies tube-mounted electronic components to the insertion machine one by one at a specified time through vibration and air blowing.





Material (IC)

If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.



Global Soul Limited



+8613728696610



liyi@gs-smt.com



smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China