




GS-RAZ2211 0.96-inch TFT Color Screen Tape Feeder for SMT

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GS-RAZ2211
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 900*650*120
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Model: GS-RAZ2211
- Weight: 17KG
- Working Voltage: Ac 220V
- Gas Source Requirements: 0.5MPa
- Maximum Power: 400W(Direct Vibration: 330W)
- Feeding Speed: 1.5s/Pcs
- Drive Mode: Electric[Blow Air To Assist In Throwing The Waste Tape]
- Operation Panel: 0.96-inch TFT Color Screen 80*160 Pixels
- Error In The Length Of The Material Cutting Feet: $\pm 0.1\text{mm}$
- Applicable To The Hole Spacing Of The Tape: 12.7mm/15mm[Parts Need To Be Replaced]
- Applicable Material Body Height: $\leq 47\text{mm}$
- Applicable Material Pin Diameter: $\leq 0.8\text{mm}$

for more products please visit us on smtmachine-spareparts.com

Product Description

0.96-inch TFT Color Screen Tape Adjustment Feeder GS-RAZ2211



Product Specifications

Attribute	Value
Model	GS-RAZ2211
Weight	17KG
Working voltage	AC 220V
Gas source requirements	0.5MPa
Maximum power	400W (Direct vibration: 330W)
Feeding speed	1.5s/Pcs
Drive mode	Electric (Blow air to assist in throwing the waste tape)
Operation panel	0.96-inch TFT color screen (80*160 pixels)
Error in the length of the material cutting feet	±0.1mm
Applicable to the hole spacing of the tape	12.7mm/15mm (Parts need to be replaced)
Applicable material body height	≤47mm
Applicable material pin diameter	≤0.8mm
Pin span	≤30mm
Function of cutting waste tape	By default, there is (Circular materials cannot be bent)
The number of times the cutter is used	One million
Condition	New

Product Description

The GS-RAZ2211 vertical feeder is an electronic component supply device that maintains precise intervals and delivers vertically packaged electronic components one by one at specified times. It features lead wire cutting and supplies components to insertion machines with high accuracy.

Function Introduction



Tape adjustment feeder(GS-RAZ2211)
Schematic diagram of appearance and dimensions (Unit :mm)

Finished product display of tape adjustment feeder
(the following partial display pictures):



For special material dimensions, please contact our company for consultation. We can provide customized solutions and exclusive feeders tailored to your specific requirements.



+8613728696610

liyi@gs-smt.com

smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China