



## GS-RAZ2304 Large Electrolytic Capacitor Feeder 20KG for SMT

Our Product Introduction

for more products please visit us on [smtmachine-spareparts.com](http://smtmachine-spareparts.com)

### Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GS-RAZ2304
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 1350\*150\*1200mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



### Product Specification

- Model: GS-RAZ2304
- External Dimensions (length\*Width\*Height): 1152mm\*122.5mm\*900±40mm[For Details, Please Refer To The Size Diagram]
- Weight: 20KG
- Working Voltage: Ac 220V
- Maximum Power: 400W[Direct Vibration: 330W]
- Feeding Speed: 1.5s/Pcs
- Drive Mode: Electric[ Blow Air To Assist In Throwing The Waste Tape]
- Operation Panel: 0.96-inch TFT Color Screen 80\*160 Pixels
- Error In The Length Of The Material Cutting Feet: ±0.1mm
- Applicable To The Hole Spacing Of The Tape: 12.7mm/15mm[ Parts Need To Be Replaced]
- Applicable Material Body Height: ≤47mm
- Applicable Material Dia: ≤0.8mm



### More Images



Product Description

Large Electrolytic Capacitor Feeder GS-RAZ2304

Applicable Material Pin Diameter ≤0.8mm | 20KG Capacity

Product Specifications

Attribute	Value
Model	GS-RAZ2304
External dimensions (L×W×H)	1152mm × 122.5mm × 900±40mm
Weight	20KG
Working voltage	AC 220V
Maximum power	400W (Direct vibration: 330W)
Feeding speed	1.5s/Pcs
Drive mode	Electric with air assist for waste tape removal
Operation panel	0.96-inch TFT color screen (80×160 pixels)
Material cutting length error	±0.1mm
Applicable tape hole spacing	12.7mm/15mm (parts replacement required)
Max material body height	≤47mm
Max material pin diameter	≤0.8mm
Max pin span	≤30mm
Waste tape cutting function	Standard feature
Cutter durability	≥1 million cycles

Product Description

The **GS-RAZ2304 Vertical Feeder** is an advanced electronic component supply device designed for high-efficiency production lines. It precisely maintains component intervals and delivers vertically tape-packaged electronic components one by one at specified times, while automatically cutting lead wires for seamless integration with insertion machines.



## Materials



*For special material dimensions or custom requirements, please contact our technical team for consultation. We provide tailored solutions and can customize exclusive feeders to meet your specific production needs.*



**Global Soul Limited**

+8613728696610

liyi@gs-smt.com

smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China