







# Large Electrolytic Capacitor Feeder GS-RAZ2304 Applicable Material Pin Diameter ≤0.8mm 20KG

#### **Basic Information**

Place of Origin: ChinaBrand Name: GS

Model Number: GS-RAZ2304Minimum Order Quantity: 1 PCS

Price: USD+negotiable+pcs
 Packaging Details: 1350\*150\*1200mm

Delivery Time: 1-7 daysPayment Terms: T/T

• Supply Ability: 1+pcs+per days



### **Product Specification**

Model: GS-RAZ2304

External Dimensions (length1152mm\*122.5mm\*900±40mm[For Details,
 \* Width \* Height: Please Refer To The Size Diagram]

Weight: 20KGWorking Voltage: Ac 220V

• Maximum Power: 400W[Direct Vibration: 330W]

Feeding Speed: 1.5s/Pcs

Drive Mode: Electric[ Blow Air To Assist In Throwing The

Waste Tape]

• Operation Panel: 0.96-inch TFT Color Screen 80\*160 Pixels

• Error In The Length Of The ±0.1mm

Material Cutting Feet:

• Applicable To The Hole 12.7mm/15mm[ Parts Need To Be Replaced]

Spacing Of The Tape:

Applicable Material Body ≤47mm

Height:

Analicable Meterial Din -0 0mm



#### More Images



LARGE ELECTROLYTIC CAPACITOR FEEDER (GS-RAZ2304)

The vertical feeder is an electronic component supply device that keeps a certain interval and sends out the electronic components of the vertical tape packaging one by one at a specified time, cuts the lead wires, and supplies them to the insertion machine.



## **Materials**



Diameter: 18.3mm

If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.





+8613728696610



liyi@gs-smt.com



smtmachine-spareparts.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China