









# Aluminium ESD Magazine Rack Snap-fit Adjustable Style 535\*530\*570MM

# **Basic Information**

Place of Origin: ChinaBrand Name: GSMinimum Order Quantity: 1 PCS

Price: USD+negotiable+pcs
Packaging Details: 550\*550\*600mm

Delivery Time: 1-7 daysPayment Terms: T/T

• Supply Ability: 1+pcs+per days



# **Product Specification**

Highlight: 535\*530\*570MM ESD Magazine Rack,
ESD Aluminium Magazine Rack,

Adjustable ESD Magazine Rack

### **Product Description**

## Aluminium ESD Magazine Rack 535\*530\*570MM:

#### 1.ESD index is stable

The ESD aluminum alloy material ensures a stable ESD detection index, which is qualified.

#### 2.Snap-fit adjustable style

Aluminum snap-fit adjustable style, allowing for flexible adjustment.

#### 3. Screw adjustment style

Screw tightening adjustment, suitable for long-term stable PCB board dimensions.

#### 4. High-quality workmanship

Precise dimensions, excellent craftsmanship,

The curved wide-mouth design makes it easier to place the board, facilitating the process of loading the machine.

# Aluminium ESD Magazine Rack 535\*530\*570MM Product Image:



#### **Customized non-standard products**

Stable factory with self-production and self-sale capabilities

Flexible production, capable of customizing and processing various models and sizes

Name	Specification	Storage of PCB board dimensions	Number of stored pieces	Adjustment method
ESD Loading and Unloading Rack	355*315*580mm	350x(50-250)mm	50PCS	Screw/Gear Adjustment
	355*320*563mm	350x(50-250)mm		Screw/Gear Adjustment
	460*400*563mm	460x(50-330)mm		Screw/Gear Adjustment
	535*460*570mm	535×(50-390)mm		Screw/Gear Adjustment
	535*530*570mm	535x(120-460)mm		Screw/Gear Adjustment
	630*530*570mm	630x(120-460)mm		Screw/Gear Adjustment
ESD Aluminum Alloy Rack	355*320*563mm	350x(50-250)mm	50PCS	Screw/Gear Adjustment
	460*400*563mm	460x(50-330)mm		Screw/Gear Adjustment
	535*460*570mm	535x(50-390)mm		Screw/Gear Adjustment
	535*530*570mm	535x(120-460)mm		Screw/Gear Adjustment
	630*530*570mm	630x(120-460)mm		Screw/Gear Adjustment

Note: The dimensions of the upper and lower plates can be customized as per customer requirements. The minimum number of storage plates is 10 (i.e., the height).







Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China